

AUTHOR INDEX

NOTE

Committee and Special Reports are published in rear forms as part of AHA News.
The reports follow text and are continued into rear ad pages.

A

Aamodt R, 382
Abboud FM, 451
Abdollah H, 87, 120
Abe H, 73
Akhtar M, 26, 1096
Albala A, 1036
Aldrich RF, 313, 325
Allen JD, 357
Ambos HD, 711
Amplatz K, 772, 783
Andersen K, 492, 874
Anderson EE, 756
Anderson JH, 554
Ando K, 468
Anholm JD, 748
Antzelevitch C, 1026
Araki H, 441
Arensman FW, 106
Arentzen CE, 409
Aretz HT, 93
Aretz T, 497
Arima A, 933
Aristimuño GG, 895
Armstrong K, 766
Aroesty JM, 703
Artman M, 949
Ashihara T, 50
Asoa M, 73
Ayoub EM, 197

B

Babu NS, 756
Bach SM Jr, 766
Bacharach SL, 382
Bache RJ, 409
Baim DS, 703
Barnes DH, 1111
Barrett-Connor E, 1065
Battaglini JW, 313, 325
Baxley WA, 338
Beaglehole R, 242
Becker LC, 131, 203, 1006
Belardinelli L, 1195
Bellamy RF, 174
Benditt DG, 1088
Benson DW Jr, 1088
Berenson GS, 895
Bergdahl LAL, 223
Bergmann SR, 605
Berkenboom G, 8
Bernabei R, 618
Berne RM, 1195
Bernstein L, 477
Bierman EL, 1065A
Bigger JT Jr, 250
Billingham ME, 430
Billman GE, 790, 1182
Blackstone EH, 223
Blake GJ, 369
Block PC, 93
Boei A, 1070
Boerth RC, 949

Borgwardt B, 783
Borow KM, 106
Botvinick E, 125, 523
Boucek RJ Jr, 949
Bove AA, 15
Boyden PA, 1036
Brachmann J, 577
Braunwald E, 611, 703, 728, 740
Breinig J, 756
Brensike JF, 313, 325
Breslow JL, 1190
Bristow MR, 430
Brown T, 142
Brugada P, 87, 120
Brummett C, 973
Brutsaert DL, 190
Bufi D, 943
Bugiardini R, 690
Buja LM, 1120, 1161
Bulkley BH, 593, 1006
Burchell HB, 233
Burkel WE, 632
Bush LR, 1161
Buttner EE, 973
Buxton AE, 532, 914, 1103

C

Cain ME, 711
Califf RM, 880
Campbell WB, 756, 1161
Carabello BA, 1058
Carey RM, 1142
Carpeggiani C, 889
Cassidy DM, 914, 1103
Castaneda AR, 655
Celano V, 924
Chandra N, 822
Charlier AA, 696
Chierchia S, 8, 690
Choong CYP, 955
Christopher TD, 65
Clagett GP, 632
Clarke WR, 242
Clayton PD, 569
Cobb LA, 943
Cobbe S, 577
Cobbs CG, 223
Cohen A, 645
Cohen ML, 506
Cohen MV, 214
Cohn JN, 548
Collen D, 605, 983
Collins SM, 775, 991
Connor WE, 1065A
Copass MK, 943
Corbett JR, 1120
Corday E, 418
Cragg A, 772, 783
Crea F, 8, 690
Crean P, 8
Crooks L, 523
Cryer P, 766
Czygan E, 577

D

Damiano BP, 1013
Dassen WR, 120
Davidenko JM, 1026
Davidowski TA, 22
Davies G, 8, 690
Davis K, 430
De Caterina R, 889
De Geest H, 605, 1070
DeGuzman LR, 174
Denker S, 26, 1096
Detrano R, 541
Detre KM, 313, 325
Devenish-Meares S, 955
Dewanjee MK, 350
Dibiase A, 430
DiMarco JP, 1195
Dismukes WE, 223
Ditchey RV, 181, 815
Dixon J, 756
Doherty JU, 113, 914, 1103
Doty DB, 1111
Douglas JS, 721
Dunn FG, 1142
Dunn RF, 477
Dunnigan A, 1088
Dymond DS, 748

E

Eastham CL, 1111
Echt DS, 766
Edie RN, 640
Edmunds LH Jr, 640
Einzig S, 783
El-Sherif N, 485
English L, 288
Epstein SE, 313, 325, 382
Erbel R, 298
Erickson EE, 991
Esser PD, 512

F

Fallon JT, 93
Farsang C, 461
Fekete M, 461
Fenoglio JJ Jr, 512, 1036
Ferguson DW, 451, 991
Ferraro N, 1079
Fisher DC, 80
Fisher M, 313, 325
Flaherty JT, 585, 593
Fleg JL, 203
Fleiss JL, 250
Fletcher PJ, 955
Ford CH, 1065A
Ford JW, 632
Foster C, 748
Foster TA, 895
Fox KAA, 605

AUTHOR INDEX

NOTE

Committee and Special Reports are published in rear forms as part of AHA News.
The reports follow text and are continued into rear ad pages.

A

Aamodt R, 382
Abboud FM, 451
Abdollah H, 87, 120
Abe H, 73
Akhtar M, 26, 1096
Albala A, 1036
Aldrich RF, 313, 325
Allen JD, 357
Ambos HD, 711
Amplatz K, 772, 783
Andersen K, 492, 874
Anderson EE, 756
Anderson JH, 554
Ando K, 468
Anholm JD, 748
Antzelevitch C, 1026
Araki H, 441
Arensman FW, 106
Arentzen CE, 409
Aretz HT, 93
Aretz T, 497
Arima A, 933
Aristimuño GG, 895
Armstrong K, 766
Aroesty JM, 703
Artman M, 949
Ashihara T, 50
Asoa M, 73
Ayoub EM, 197

B

Babu NS, 756
Bach SM Jr, 766
Bacharach SL, 382
Bache RJ, 409
Baim DS, 703
Barnes DH, 1111
Barrett-Connor E, 1065
Battaglini JW, 313, 325
Baxley WA, 338
Beaglehole R, 242
Becker LC, 131, 203, 1006
Belardinelli L, 1195
Bellamy RF, 174
Benditt DG, 1088
Benson DW Jr, 1088
Berenson GS, 895
Bergdahl LAL, 223
Bergmann SR, 605
Berkenboom G, 8
Bernabei R, 618
Berne RM, 1195
Bernstein L, 477
Bierman EL, 1065A
Bigger JT Jr, 250
Billingham ME, 430
Billman GE, 790, 1182
Blackstone EH, 223
Blake GJ, 369
Block PC, 93
Boei A, 1070
Boerth RC, 949

Borgwardt B, 783
Borow KM, 106
Botvinick E, 125, 523
Boucek RJ Jr, 949
Bove AA, 15
Boyden PA, 1036
Brachmann J, 577
Braunwald E, 611, 703, 728, 740
Breinig J, 756
Brensike JF, 313, 325
Breslow JL, 1190
Bristow MR, 430
Brown T, 142
Brugada P, 87, 120
Brummett C, 973
Brutsaert DL, 190
Bufi D, 943
Bugiardini R, 690
Buja LM, 1120, 1161
Bulkley BH, 593, 1006
Burchell HB, 233
Burkel WE, 632
Bush LR, 1161
Buttner EE, 973
Buxton AE, 532, 914, 1103

C

Cain ME, 711
Califf RM, 880
Campbell WB, 756, 1161
Carabello BA, 1058
Carey RM, 1142
Carpeggiani C, 889
Cassidy DM, 914, 1103
Castaneda AR, 655
Celano V, 924
Chandra N, 822
Charlier AA, 696
Chierchia S, 8, 690
Choong CYP, 955
Christopher TD, 65
Clagett GP, 632
Clarke WR, 242
Clayton PD, 569
Cobb LA, 943
Cobbe S, 577
Cobbs CG, 223
Cohen A, 645
Cohen ML, 506
Cohen MV, 214
Cohn JN, 548
Collen D, 605, 983
Collins SM, 775, 991
Connor WE, 1065A
Copass MK, 943
Corbett JR, 1120
Corday E, 418
Cragg A, 772, 783
Crea F, 8, 690
Crean P, 8
Crooks L, 523
Cryer P, 766
Czygan E, 577

D

Damiano BP, 1013
Dassen WR, 120
Davidenko JM, 1026
Davidowski TA, 22
Davies G, 8, 690
Davis K, 430
De Caterina R, 889
De Geest H, 605, 1070
DeGuzman LR, 174
Denker S, 26, 1096
Detrano R, 541
Detre KM, 313, 325
Devenish-Mearns S, 955
Dewanjee MK, 350
Dibiase A, 430
DiMarco JP, 1195
Dismukes WE, 223
Ditchey RV, 181, 815
Dixon J, 756
Doherty JU, 113, 914, 1103
Doty DB, 1111
Douglas JS, 721
Dunn FG, 1142
Dunn RF, 477
Dunnigan A, 1088
Dymond DS, 748

E

Eastham CL, 1111
Echt DS, 766
Edie RN, 640
Edmunds LH Jr, 640
Einzig S, 783
El-Sherif N, 485
English L, 288
Epstein SE, 313, 325, 382
Erbel R, 298
Erickson EE, 991
Esser PD, 512

F

Fallon JT, 93
Farsang C, 461
Fekete M, 461
Fenoglio JJ Jr, 512, 1036
Ferguson DW, 451, 991
Ferraro N, 1079
Fisher DC, 80
Fisher M, 313, 325
Flaherty JT, 585, 593
Fleg JL, 203
Fleiss JL, 250
Fletcher PJ, 955
Ford CH, 1065A
Ford JW, 632
Foster C, 748
Foster TA, 895
Fox KAA, 605

Francis MJ, 288
Frantz ID Jr, 1065A
Franz MR, 593
Frederiksen R, 756
Freeman B, 690
Friedewald W, 313, 325
Friedman L, 313, 325
Frohlich ED, 1142
Fujita T, 468
Furberg CD, 761
Furutani Y, 933
Fuster V, 350
Fye WB, 849, 1198

G

Gabbe S, 645
Gabrieli CFO, 512
Gallagher JJ, 269
Gallagher KP, 801
Gangadharan V, 1146
Garberg V, 548
Gardner TJ, 554, 585
Geboers J, 1070
Geltman EM, 983
German LD, 269
Gerstenblith G, 203
Gettes LS, 1219A
Gewirtz H, 1048
Gewirtz MH, 645
Gibson TC, 497
Gilbert C, 26
Gillam LD, 497
Gillette PC, 1219A
Gingell RL, 924
Ginsburg R, 430
Glassman E, 506
Glueck CJ, 1065A
Go RT, 541
Gomes JAC, 485
Goodflesh R, 1146
Gordon S, 1146
Gotto AM Jr, 1065A
Gould BL, 569
Graham LM, 632
Graham TP Jr, 949
Green M, 87
Green MV, 382
Grimm J, 855
Grose R, 214
Gross GJ, 391
Gross SL, 1048
Grossman W, 703
Gruentzig AR, 721
Grundy SM, 1065A
Guarnieri T, 269
Guerci AD, 822
Guyer DE, 497

H

Haeblerli A, 684
Haendchen R, 418
Hallstrom AP, 943
Hannerman H, 611
Hanrath P, 854A
Hardman HF, 391
Hariman RJ, 485
Harken AH, 640

Harrell FE Jr, 880
Harris PJ, 477, 955
Harrison DG, 991, 1111
Hauser AM, 1146
Hawkins CM, 761
Heger JJ, 278
Heller GV, 703
Henderson E, 1120
Hennekens CH, 728, 740
Henry WN, 854A
Henze E, 33
Hermiller JB, 57
Hess OM, 855
Higgins CB, 125, 523
Hiratzka LF, 1111
Hirshfeld JW, 259
Hlatky MA, 880
Hoka S, 50
Hollman J, 721
Hood WB Jr, 113
Hood WP Jr, 338
Hori M, 73
Horowitz S, 80, 1177
Hoyng CF, 605
Hoyt RH, 775
Huff DS, 645
Hufnagel H, 632
Hugenholtz PD, 854A
Hutchins GM, 131
Huxley RL, 1120

I

Ikezono T, 933
Im Hof V, 684
Imai Y, 306
Imaizumi T, 50
Inoue M, 73
Ishii Y, 441
Ito H, 73
Ito N, 50
Ivert TSÅ, 223

J

Jacobus WE, 585
Jaffe AS, 983
Jaffin JH, 585
Jalifé J, 163
Jauernig R, 577
Jennings HS, 756
Jensen RL, 569
Jones RH, 65
Josa M, 350
Josephson ME, 532, 914, 1103, 1219A

K

Kahn RH, 632
Kaiser AB, 756
Kan JS, 554
Kanter KR, 585
Kaplan P, 756
Kapocsi J, 461
Karam M, 866
Karp RB, 973

Kasell JH, 269
Kaski JC, 690
Kaufman L, 523
Kawachi Y, 441
Kaye MP, 350
Keane JF, 655
Kelly DT, 477, 955
Kelsey SF, 313, 325
Kemper WS, 801
Kesteloot H, 1070
Khaw K, 1065
Kikuchi Y, 441
King ME, 497
King SB III, 721
Kioschos JM, 991
Kirklin JK, 338
Kirklin JW, 223
Kitabatake A, 73
Kleiger R, 250
Klein GJ, 278, 1088
Klein HH, 1000
Kloner RA, 400, 611
Kobrin I, 1142
Koehler RC, 822
Konstantinow G, 65
Kopelen H, 288
Kramer BL, 1135
Krayenbuehl HP, 855
Kreusch G, 973
Kreuzer H, 1000
Kriett JM, 1088
Kronzon I, 506
Kübler W, 1, 577
Kumada T, 933
Kunos G, 461
Kurnik PB, 963
Kusukawa R, 933

L

L'Abbate A, 889
Lakatta EG, 203
Laks MM, 1219A
Lambertz H, 298
Lamping KG, 391
Lange R, 400
Lanzer P, 125, 523
Larson D, 80, 1177
Lauer RM, 242
Lavine SJ, 15
Leatherman J, 541
Lederman S, 142
Lee KL, 880
Lee VW, 113
Lehmann MH, 1096
Lehmann MS, 26
Leier CV, 57
Leithe ME, 57
Lengfelder W, 577
Lerman BB, 1006
Levine RA, 497
Levine TB, 548
Levy RI, 313, 325
Lewis M, 1120
Lewis SE, 1120
Liang C, 113
Lichstein E, 761
Liddle HV, 569
Lima CO, 1177
Lincoln W, 703
Lindenfeld J, 181
Lipton MJ, 125, 523

AUTHOR INDEX

Little JA, 1065A
Liu SK, 1036
Loh IK, 313, 325
Ludbrook PA, 963, 983
Lund G, 772, 783

M

Magorien RD, 57
Magovern GJ Jr, 585
Mahmud R, 26, 1096
Malisak Z, 461
Mall G, 1
Management Committee of the Australian National Blood Pressure Study, 668
Mann DE, 288
Manthey J, 1
Mantle JA, 338
Marchlinski FE, 532, 914, 1103
Marcus ML, 991, 1111
Mark AL, 451
Mark DB, 880
Martin JL, 1079
Maruoka Y, 441
Maseri A, 8, 690
Mason JW, 233
Massie BM, 1135
Masuyama T, 73
Matsuda Y, 933
Matsuzaki M, 801, 933
Maurer G, 418
McDaniel HG, 973
McDonough MT, 15
McKay RG, 703
Meerbaum S, 418
Mehlman DJ, 102
Melin JA, 131
Melton HE Jr, 775
Mesel E, 80, 1177
Messerli FH, 1142
Meyer J, 298
Miceli MV, 585
Michael JR, 822
Miller JP, 250
Minten J, 1070
Mintz PD, 15
Mirsky I, 836
Mirvis DM, 1219A
Mitchell LB, 233
Mitchell SE, 554
Moak JP, 149
Moe GK, 163
Mombelli G, 684
Moore EN, 369
Morera JA, 924
Moriarty DJ, 313, 325
Morita T, 73
Morris J, 477
Morris KG, 880
Morrison J, 728, 740
Most AS, 1048
Muller JE, 728, 740
Multicenter Post-Infarction Research Group, 250

N

Naccarelli GV, 278
Nakae S, 306
Nakamura M, 50, 441

Nakanishi T, 306
Nakazawa M, 306
Natarajan TK, 866
Nath HP, 338
Nebendahl K, 1000
Newman HN, 477
Nichols AB, 512
Nicod PH, 1120
Niedermeyer E, 822
Noda H, 468
Norton HJ, 288
Norwood WI, 655

O

Ogawa H, 933
Ohnishi K, 73
Oigman W, 1142
Okada RD, 1153
Okuda H, 306
Olivari MT, 548
Olsson G, 1129
Ong K, 418
Oparil S, 973
Opher D, 1
O'Rourke RA, 854A
Ozaki M, 933

P

Page HL, 756
Palacios I, 93
Pantridge JF, 357
Parkey R, 1120
Parrillo JE, 93
Parrish MD, 949
Passamani ER, 313, 325
Patrilli J, 801
Patterson RE, 382
Patton JN, 357
Paulsen PK, 905
Pearle DL, 728, 740
Pedersen DC, 174
Pedinelli R, 1171
Perloff JK, 33
Permutt S, 866
Pieroni DR, 924
Pisà Z, 854A
Plappert TA, 259
Platia EV, 593
Pohost GM, 1153
Pollick C, 43
Pollock ML, 748
Pouleur H, 696
Pratt CM, 288
Pryor DB, 880
Prystowsky EN, 278

Q

Quinones MA, 288

R

Rabinovitch M, 655
Rademakers FE, 190
Radley-Smith R, 106
Rahimtoola SH, 842
Rakowski H, 43
Ramos RG, 1146
Ramwell PW, 632
Rao AK, 15
Ray R, 943
Rehnqvist N, 1129
Reichek N, 259, 645
Reid L, 655
Rellas JS, 1120
Reves JG, 973
Richards DA, 369
Richardson JM, 313, 325
Rincon G, 541
Rinkenberger RL, 278
Ritchie JL, 561, 677
Ritter M, 855
Rizos I, 577
Roach A, 756
Roberts R, 288, 728, 740
Rod JL, 748
Rodeheffer RJ, 203
Roelandt J, 854A
Rogers MC, 822
Rogers WJ, 338
Roland JMA, 924
Rolnitzky LM, 250
Romeo F, 690
Rosati RA, 880
Rosen MR, 149, 1013
Rosner B, 728, 740
Ross J Jr, 801
Roubin GS, 477, 955
Rousseau MF, 696
Royal HD, 703
Rozanski GJ, 163
Rude RE, 728, 740, 1120
Rysavy J, 772, 783

S

Sadick NN, 955
Sahn DJ, 80, 1177
Saichek RP, 748
Salcedo EE, 541
Salo RW, 703
Salomonowitz E, 772, 783
Satomi G, 306
Scheiner E, 728, 740
Scheinman MM, 233, 1219A
Schelbert HR, 33
Schiller NB, 523
Schmidt DH, 748
Schneider J, 855
Schneider JF, 728, 740
Schoen FJ, 611
Schubotho M, 1000
Schwartz D, 1079
Schwartz PJ, 790, 1182
Schwarz F, 1
Sealy WC, 269
Senges J, 577
Serfas DH, 728, 740
Shah B, 645
Shah P, 418
Sharefkin JB, 632

AUTHOR INDEX

Sharkey SW, 548
 Sheffield LT, 1219A
 Sherman LG, 113
 Shi AY, 822
 Shimizu T, 933
 Simon AB, 409
 Simon T, 1120
 Skorton DJ, 775, 991
 Smith LR, 973
 Sobel BE, 605, 711, 728, 740, 983
 Sokolov JJ, 1120
 Sondergaard T, 905
 Spadaro JJ Jr, 983
 Spann JF, 15, 1058
 Spear JF, 369
 Spears JR, 703
 Speir EH, 382
 Spencer FC, 506
 Squires RW, 748
 Srinivasan SR, 895
 St. John Sutton MG, 259, 645
 Stanley JC, 632
 Stark D, 523
 Starmer CF, 142
 Stephenson LW, 640
 Stewart J, 1146
 Stinson EB, 766
 Stone HL, 790, 1182
 Stone NJ, 313, 325
 Stone PH, 728, 740
 Strain J, 214
 Stratton JR, 561, 677
 Straub PW, 684
 Strauss HC, 142
 Sys SU, 190

T

Tacogue L, 756
 Tago M, 350
 Tajimi T, 801
 Takao A, 306
 Takeshita A, 50
 Tanaka K, 441
 Tanaka M, 854A
 Tanouchi J, 73
 Tarazi RC, 1171
 Tate C, 728, 740
 Taylor AA, 288
 Tei C, 418

Tennant SN, 756
 Ter-Pogossian MM, 983
 Thornton MA, 721
 Tiefenbrunn AJ, 963, 983
 Tilley LP, 1036
 Tilton GD, 1161
 Timmis GC, 1146
 Tinker WP, 506
 Tomoike H, 441
 Topic N, 1135
 Torres M, 418
 Traystman RJ, 822
 Tsitlik J, 822
 Turi ZG, 728, 740
 Turina M, 615

U

Untereker WJ, 532
 Unverferth DV, 57
 Urquhart J, 382

V

Vajda L, 461
 Valdes-Cruz LM, 80, 1177
 Van de Werf F, 605, 1070
 van Eyll C, 696
 Varga K, 461
 Vassale M, 618
 Vassallo JA, 914, 1103
 Venable TC, 756
 Ventura HO, 1142
 Vik-Mo H, 492, 874
 Vinter DW, 632
 Vlodaver Z, 772
 Voors AW, 895
 Vrobel TR, 409

W

Wagner HN, 866
 Walsh PN, 15
 Ward A, 748
 Ware J, 400
 Warltier DC, 391

Waspe LE, 532
 Waxman HL, 532, 914
 Weaver WD, 943
 Webb C, 106
 Weihe E, 1
 Weisfeldt ML, 203, 593, 822, 1006
 Weiss JL, 1006
 Weitzman LB, 506
 Wellens HJJ, 87, 120
 Wellington K, 113
 Wenger TL, 142
 Wesbey G, 125
 Westveer DC, 1146
 Weyman AE, 497
 White CW, 991, 1111
 White FC, 801
 White RI Jr, 554
 Wigle ED, 43
 Willems J, 1070
 Willerson JT, 1120, 1161
 Williams DO, 1048
 Williams G, 541
 Wilson JR, 1079
 Winkle RA, 233, 766
 Wise RA, 866
 Wit AL, 1036
 Witkowski FX, 711
 Wolf S, 22
 Wood F, 418
 Wooten E, 756
 Wu D, 1219A

Y

Yacoub MH, 106
 Yamagishi T, 933
 Yamamoto K, 50
 Yamaoka H, 933
 Yiannikas J, 541
 Yoshima H, 73
 Young JB, 288

Z

Zebe H, 1
 Zipes DP, 278, 1219A
 Zorn GL, 338
 Zuniga WC, 772

A

β -Adrenergic blockade

Effect of propranolol in postinfarction patients with mechanical or electrical complications, 761

Ventricular arrhythmias during the first year after acute myocardial infarction: influence of long-term treatment with metoprolol, 1129

α -Adrenergic receptors

α -Adrenergic receptors and coronary spasm: an elusive link, 8

Adenosine

Contrasting effects of nifedipine and adenosine on regional myocardial flow distribution and metabolism distal to a severe coronary arterial stenosis: observations in sedated, closed-chest, domestic swine, 1048

Dromotropic effects of adenosine and adenosine antagonists, 1195

Afterload

Increased left ventricular emptying at maximal exercise after reduction in afterload, 492

Amiodarone

A comparison of the electrophysiologic effects of intravenous and oral amiodarone in the same patient, 120

Angina

α -Adrenergic receptors and coronary spasm: an elusive link, 8

Association between early graft patency and late outcome for patients undergoing coronary artery bypass graft surgery, 569

Clinical characteristics and long-term survival of patients with variant angina, 880

Coronary bypass surgery for unstable angina, 842

A double-blind, placebo-controlled study of ketanserin in patients with Prinzmetal's angina: evidence against a role for serotonin in the genesis of coronary vasospasm, 889

Myocardial ischemia during ergonovine testing: different susceptibility to coronary vasoconstriction in patients with exertional and variant angina, 690

Nifedipine and conventional therapy for unstable angina pectoris: a randomized, double-blind comparison, 728

Reduction of coronary reserve: a mechanism for angina pectoris in patients with arterial hypertension and normal coronary arteries, 1

Angiography

Effects of therapy with cholestyramine on progression of coronary arteriosclerosis: results of the NHLBI Type II Coronary Intervention Study, 313

Angioplasty

Coumadin and aspirin in prevention of recurrence after transluminal coronary angioplasty: a randomized study, 721

Long-term patency of the ductus arteriosus after balloon dilatation: an experimental study, 772

Anticoagulation

Coumadin and aspirin in prevention of recurrence after transluminal coronary angioplasty: a randomized study, 721

Arrhythmia

Autonomic mechanisms in ventricular fibrillation induced by myocardial ischemia during exercise in dogs with healed myocardial infarction: an experimental preparation for sudden cardiac death, 790

Clinical efficacy and electrophysiologic effects of encainide in patients with Wolff-Parkinson-White syndrome, 278

Comparative effects of disopyramide and ethmozine in suppressing complex ventricular arrhythmias by use of double-blind, placebo-controlled, longitudinal crossover design, 288

A comparison of the electrophysiologic effects of intravenous and oral amiodarone in the same patient, 120

Dromotropic effects of adenosine and adenosine antagonists, 1195

The effects of milrinone on conduction, reflection, and automaticity in canine Purkinje fibers, 1026

Effects of pacing on triggered activity induced by early afterdepolarizations, 1013

Electrophysiologic substrate for ventricular tachycardia: correlation of properties in vivo and in vitro, 369

Facilitation of macroreentry within the His-Purkinje system with abrupt changes in cycle length, 26

Induction and termination of triggered activity by pacing in isolated canine Purkinje fibers, 149

Mechanisms for atrial arrhythmias associated with cardiomyopathy: a

study of feline hearts with primary myocardial disease, 1036

Myocardial injury and induction of arrhythmia by direct current shock delivered via catheters in dogs, 1006

The nonpharmacologic management of the permanent form of junctional reciprocating tachycardia, 269

Recording of diastolic slope with catheters during junctional rhythm in humans, 485

The relationships among ventricular arrhythmias, left ventricular dysfunction, and mortality in the 2 years after myocardial infarction, 250

Role of triple extrastimuli during electrophysiologic study of patients with documented sustained ventricular tachyarrhythmias, 532

Significance of ventricular arrhythmias initiated by programmed ventricular stimulation: the importance of the type of ventricular arrhythmia induced and the number of premature stimuli required, 87

The value of catheter mapping in patients in sinus rhythm to localize site of origin of ventricular tachycardia, 1103

Ventricular arrhythmias during the first year after acute myocardial infarction: influence of long-term treatment with metoprolol, 1129

Arrhythmogenesis

Reflected reentry in nonhomogeneous ventricular muscle as a mechanism of cardiac arrhythmias, 163

Arteriography

Quantification of relative coronary arterial stenosis by cinevideodensitometric analysis of coronary arteriograms, 512

Aspirin

Coumadin and aspirin in prevention of recurrence after transluminal coronary angioplasty: a randomized study, 721

Atherosclerosis

Selective hypercontraction caused by ergonovine in the canine coronary artery under conditions of induced atherosclerosis, 441

Atrial septal defect

Noninvasive evaluation of the ratio of pulmonary to systemic flow in atrial septal defect by duplex Doppler echocardiography, 73

A pulsed Doppler echocardiographic method for calculating pulmonary and systemic blood flow in atrial level shunts: validation studies in animals and initial human experience, 80

Some immediate hemodynamic consequences of closure of atrial septal defects of the secundum type, 905

Atrioventricular conduction

Enhanced atrioventricular nodal conduction in man: electrophysiologic effects of pharmacologic autonomic blockade, 1088

Autonomic blockade

Enhanced atrioventricular nodal conduction in man: electrophysiologic effects of pharmacologic autonomic blockade, 1088

Autonomic rhythm

Recording of diastolic slope with catheters during junctional rhythm in humans, 485

AV node

Dromotropic effects of adenosine and adenosine antagonists, 1195

Enhanced atrioventricular nodal conduction in man: electrophysiologic effects of pharmacologic autonomic blockade, 1088

Recording of diastolic slope with catheters during junctional rhythm in humans, 485

B

Baroreflex

Selective impairment of baroreflex-mediated vasoconstrictor responses in patients with ventricular dysfunction, 451

Bayesian analysis

Bayesian analysis of data from radionuclide angiocardiograms for diagnosis of coronary artery disease, 65

Bayesian probability analysis: a prospective demonstration of its clinical utility in diagnosing coronary disease, 541

Biopsy

The results of transvenous endomyocardial biopsy can frequently be used to diagnose myocardial diseases in patients with idiopathic heart failure: endomyocardial biopsies in 100 consecutive patients revealed a substantial incidence of myocarditis, 93

Vascular structure in lung tissue obtained at biopsy correlated with

- pulmonary hemodynamic findings after repair of congenital heart defects, 655
- Blood flow**
- Abnormalities in myocardial perfusion during tachycardia in dogs with left ventricular hypertrophy: metabolic evidence for myocardial ischemia, 409
 - Contrasting effects of nifedipine and adenosine on regional myocardial flow distribution and metabolism distal to a severe coronary arterial stenosis: observations in sedated, closed-chest, domestic swine, 1048
 - Coronary blood flow during cardiopulmonary resuscitation in swine, 174
 - Effects of the selective thromboxane synthetase inhibitor dazoxiben on variations in cyclic blood flow in stenosed canine coronary arteries, 1161
 - Effects of three bradycardiac drugs on regional myocardial blood flow and function in areas distal to a total or partial coronary occlusion in dogs, 391
 - Exercise intolerance in patients with chronic heart failure: role of impaired nutritive flow to skeletal muscle, 1079
 - Mechanisms by which epinephrine augments cerebral and myocardial perfusion during cardiopulmonary resuscitation in dogs, 822
 - Myocardial contrast two-dimensional echocardiography: comparison of disappearance rates in normal and underperfused myocardium, 418
 - Noninvasive evaluation of the ratio of pulmonary to systemic flow in atrial septal defect by duplex Doppler echocardiography, 73
 - Potential adverse effects of volume loading on perfusion of vital organs during closed-chest resuscitation, 181
 - A pulsed Doppler echocardiographic method for calculating pulmonary and systemic blood flow in atrial level shunts: validation studies in animals and initial human experience, 80
 - Relationship between central hemodynamics and regional blood flow in normal subjects and in patients with congestive heart failure, 57
- Bradycardia**
- Effects of three bradycardiac drugs on regional myocardial blood flow and function in areas distal to a total or partial coronary occlusion in dogs, 391
- Bretylium**
- A method for quantitating antifibrillatory effects of drugs after coronary reperfusion in dogs: improved outcome with bretylium, 142
- C**
- Calcium**
- Sydney Ringer, calcium, and cardiac function, 849
- Calcium antagonists**
- The dependence of the cardiac effects of nifedipine on the responses of the peripheral vascular system, 963
 - The effect of two different diltiazem treatments on infarct size in ischemic, reperfused porcine hearts, 1000
 - Effects of a calcium-entry blocker (diltiazem) on regional myocardial flow and function during exercise in conscious dogs, 801
 - Interference of calcium entry blockade in vivo with pressor responses to α -adrenergic stimulation: effects of two unrelated blockers on responses to both exogenous and endogenously released norepinephrine, 1171
- Captopril**
- Hemodynamic measurements do not predict the response to captopril in patients with congestive heart failure, 1135
- Cardiac output**
- Exercise cardiac output is maintained with advancing age in healthy human subjects: cardiac dilatation and increased stroke volume compensate for a diminished heart rate, 203
- Cardiomyopathy**
- Mechanisms for atrial arrhythmias associated with cardiomyopathy: a study of feline hearts with primary myocardial disease, 1036
- Cardioplegia**
- Maintenance of aerobic metabolism during global ischemia with perfluorocarbon cardioplegia improves myocardial preservation, 585
 - A randomized comparison of crystalloid and blood-containing cardioplegic solutions in sixty patients, 973
- Cardiopulmonary resuscitation**
- Coronary blood flow during cardiopulmonary resuscitation in swine, 174
 - The effects of shock energy, propranolol, and verapamil on cardiac damage caused by transthoracic countershock, 357
 - Improved neurologic recovery and survival after early defibrillation, 943
 - Mechanisms by which epinephrine augments cerebral and myocardial perfusion during cardiopulmonary resuscitation in dogs, 822
 - Potential adverse effects of volume loading on perfusion of vital organs during closed-chest resuscitation, 181
 - Volume-dependent effects of positive airway pressure on intracavitary left ventricular end-diastolic pressure, 815
- Cardioversion**
- Effects of three bradycardiac drugs on regional myocardial blood flow and function in areas distal to a total or partial coronary occlusion in dogs, 391
- Catecholamines**
- Interference of calcium entry blockade in vivo with pressor responses to α -adrenergic stimulation: effects of two unrelated blockers on responses to both exogenous and endogenously released norepinephrine, 1171
- Catheter mapping**
- The value of catheter mapping in patients in sinus rhythm to localize site of origin of ventricular tachycardia, 1103
- Cholesterol**
- The influence of changes in lipid values induced by cholestyramine and diet on progression of coronary artery disease: results of NHLBI Type II Coronary Intervention Study, 325
- Cholestyramine**
- Effects of therapy with cholestyramine on progression of coronary arteriosclerosis: results of the NHLBI Type II Coronary Intervention Study, 313
 - The influence of changes in lipid values induced by cholestyramine and diet on progression of coronary artery disease: results of NHLBI Type II Coronary Intervention Study, 325
- Circumflex coronary artery**
- The clinical features of isolated left circumflex coronary artery disease, 477
- Clonidine**
- Reversal by naloxone of the antihypertensive action of clonidine: involvement of the sympathetic nervous system, 461
- Congenital heart disease**
- Assessment of left ventricular contractile state after anatomic correction of transposition of the great arteries, 106
 - Dynamics of right heart flow in patients after Fontan procedure, 306
 - Long-term patency of the ductus arteriosus after balloon dilatation: an experimental study, 772
 - Short-term hemodynamic effects of hydralazine in infants with complete atrioventricular canal defects, 949
 - Some immediate hemodynamic consequences of closure of atrial septal defects of the secundum type, 905
 - Two-dimensional echocardiographic examination of mitral valve abnormalities associated with coarctation of the aorta, 924
 - Vascular structure in lung tissue obtained at biopsy correlated with pulmonary hemodynamic findings after repair of congenital heart defects, 655
- Congestive heart failure**
- β -Adrenergic stimulation of the failing ventricle: a double-blind, randomized trial of sustained oral therapy with prenalterol, 955
 - Exercise intolerance in patients with chronic heart failure: role of impaired nutritive flow to skeletal muscle, 1079
 - Hemodynamic and clinical response to enalapril, a long-acting converting-enzyme inhibitor, in patients with congestive heart failure, 548
 - Hemodynamic measurements do not predict the response to captopril in patients with congestive heart failure, 1135
 - Long-term hemodynamic effect of prenalterol in patients with severe congestive heart failure, 298
 - Relationship between central hemodynamics and regional blood flow in normal subjects and in patients with congestive heart failure, 57
 - The results of transvenous endomyocardial biopsy can frequently be used to diagnose myocardial diseases in patients with idiopathic heart failure: endomyocardial biopsies in 100 consecutive patients revealed a substantial incidence of myocarditis, 93

- Selective impairment of baroreflex-mediated vasoconstrictor responses in patients with ventricular dysfunction, 451
- Sustained improvement of cardiac function in patients with congestive heart failure after short-term infusion of dobutamine, 113
- Contrast media**
 - Role of ischemia in contrast-induced renal damage: an experimental study, 783
- Coronary artery bypass surgery**
 - Association between early graft patency and late outcome for patients undergoing coronary artery bypass graft surgery, 569
 - Coronary bypass surgery for unstable angina, 842
- Coronary artery disease**
 - Absence of a cumulative deterioration of regional function during three repeated 5 or 15 minute coronary occlusions, 400
 - α -Adrenergic receptors and coronary spasm: an elusive link, 8
 - Assessment of regional left ventricular relaxation in patients with coronary artery disease: importance of geometric factors and changes in wall thickness, 696
 - Asynchronous left ventricular diastolic filling in patients with isolated disease of the left anterior descending coronary artery: assessment with radionuclide ventriculography, 933
 - Bayesian analysis of data from radionuclide angiocardiograms for diagnosis of coronary artery disease, 65
 - Bayesian probability analysis: a prospective demonstration of its clinical utility in diagnosing coronary disease, 541
 - Clinical characteristics and long-term survival of patients with variant angina, 880
 - The clinical features of isolated left circumflex coronary artery disease, 477
 - Coagulant activities of platelets in coronary artery disease, 15
 - Coumadin and aspirin in prevention of recurrence after transluminal coronary angioplasty: a randomized study, 721
 - Effects of a calcium-entry blocker (diltiazem) on regional myocardial flow and function during exercise in conscious dogs, 801
 - Effects of the selective thromboxane synthetase inhibitor dazoxiben on variations in cyclic blood flow in stenosed canine coronary arteries, 1161
 - Effects of therapy with cholestyramine on progression of coronary arteriosclerosis: results of the NHLBI Type II Coronary Intervention Study, 313
 - Effects of three bradycardiac drugs on regional myocardial blood flow and function in areas distal to a total or partial coronary occlusion in dogs, 391
 - Family history of heart attack as an independent predictor of death due to cardiovascular disease, 1065
 - The influence of changes in lipid values induced by cholestyramine and diet on progression of coronary artery disease: results of NHLBI Type II Coronary Intervention Study, 325
 - Myocardial ischemia during ergonovine testing: different susceptibility to coronary vasoconstriction in patients with exertional and variant angina, 690
 - Nifedipine and conventional therapy for unstable angina pectoris: a randomized, double-blind comparison, 728
 - Nifedipine therapy for patients with threatened and acute myocardial infarction: a randomized, double-blind, placebo-controlled comparison, 740
 - Protective effect of early and late treatment with nifedipine during myocardial infarction in the conscious dog, 131
 - Quantification of relative coronary arterial stenosis by cinevideodensitometric analysis of coronary arteriograms, 512
 - Reduction of coronary reserve: a mechanism for angina pectoris in patients with arterial hypertension and normal coronary arteries, 1
 - The relationships among ventricular arrhythmias, left ventricular dysfunction, and mortality in the 2 years after myocardial infarction, 250
 - Return of left ventricular function after reperfusion in patients with myocardial infarction: importance of subtotal stenoses or intact collaterals, 338
 - The value of lesion cross-sectional area determined by quantitative coronary angiography in assessing the physiologic significance of proximal left anterior descending coronary arterial stenoses, 1111
 - Work capacity and left ventricular function during rehabilitation after myocardial revascularization surgery, 748
- Coronary artery tone**
 - Quantitative pharmacologic responses of normal and atherosclerotic

- isolated human epicardial coronary arteries, 430
- Selective hypercontraction caused by ergonovine in the canine coronary artery under conditions of induced atherosclerosis, 441
- Coronary reperfusion**
 - A method for quantitating antifibrillatory effects of drugs after coronary reperfusion in dogs: improved outcome with bretylium, 142
- Coronary reserve**
 - Reduction of coronary reserve: a mechanism for angina pectoris in patients with arterial hypertension and normal coronary arteries, 1
- Coronary spasm**
 - α -Adrenergic receptors and coronary spasm: an elusive link, 8
- Coronary thrombosis**
 - Effect of heparin on plasma fibrinopeptide A in patients with acute myocardial infarction, 684
- Coumadin**
 - Coumadin and aspirin in prevention of recurrence after transluminal coronary angioplasty: a randomized study, 721

D

- Dazoxiben**
 - Effects of the selective thromboxane synthetase inhibitor dazoxiben on variations in cyclic blood flow in stenosed canine coronary arteries, 1161
- Diastolic function**
 - Assessment of diastolic function: suggested methods and future considerations, 836
- Digitalis glycoside**
 - Selective impairment of baroreflex-mediated vasoconstrictor responses in patients with ventricular dysfunction, 451
- Diltiazem**
 - Comparative effects of verapamil, diltiazem, and nifedipine on hemodynamics and left ventricular function during acute myocardial ischemia in dogs, 382
 - The effect of two different diltiazem treatments on infarct size in ischemic, reperfused porcine hearts, 1000
 - Effects of a calcium-entry blocker (diltiazem) on regional myocardial flow and function during exercise in conscious dogs, 801
- Dipyridamole**
 - Quantification of platelet retention in aortocoronary femoral vein bypass graft in dogs treated with dipyridamole and aspirin, 350
- Direct current shock**
 - Myocardial injury and induction of arrhythmia by direct current shock delivered via catheters in dogs, 1006
- Disopyramide**
 - Comparative effects of disopyramide and ethmozine in suppressing complex ventricular arrhythmias by use of double-blind, placebo-controlled, longitudinal crossover design, 288
- Dobutamine**
 - Sustained improvement of cardiac function in patients with congestive heart failure after short-term infusion of dobutamine, 113

E

- Echocardiography**
 - Assessment of left ventricular mechanics in patients with asymptomatic aortic regurgitation: a two-dimensional echocardiographic study, 259
 - Echocardiographic measurement of right ventricular volume, 497
 - The effects of antithrombotic drugs in patients with left ventricular thrombi: assessment with indium-111 platelet imaging and two-dimensional echocardiography, 561
 - Effects of spontaneous respiration on left ventricular function assessed by echocardiography, 874
 - Increased left ventricular emptying at maximal exercise after reduction in afterload, 492
 - Myocardial contrast two-dimensional echocardiography: comparison of disappearance rates in normal and underperfused myocardium, 418

- Noninvasive evaluation of the ratio of pulmonary to systemic flow in atrial septal defect by duplex Doppler echocardiography, 73
- Pulmonary arterial V waves in mitral regurgitation: clinical and experimental observations, 214
- A pulsed Doppler echocardiographic method for calculating pulmonary and systemic blood flow in atrial level shunts: validation studies in animals and initial human experience, 80
- Quantitative assessment of growth and function of the cardiac chambers in the normal human fetus: a prospective longitudinal echocardiographic study, 645
- Report of the Joint International Society and Federation of Cardiology/World Health Organizations Task Force on Recommendations for Standardization of Measurements from M-Mode Echocardiograms, 854A
- Two-dimensional echocardiographic examination of mitral valve abnormalities associated with coarctation of the aorta, 924
- Ultrasonic backscatter and collagen in normal ventricular myocardium, 775
- Validation of a Doppler echocardiographic method for calculating severity of discrete stenotic obstructions in a canine preparation with a pulmonary arterial band, 1177
- The value of lesion cross-sectional area determined by quantitative coronary angiography in assessing the physiologic significance of proximal left anterior descending coronary arterial stenoses, 1111
- Editorial**
- Triple control of relaxation: implications in cardiac disease, 190
- Electrophysiology**
- Electrophysiologic substrate for ventricular tachycardia: correlation of properties in vivo and in vitro, 369
- Enhanced atrioventricular nodal conduction in man: electrophysiologic effects of pharmacologic autonomic blockade, 1088
- Facilitation of macroreentry within the His-Purkinje system with abrupt changes in cycle length, 26
- Fast-Fourier transform analysis of signal-averaged electrocardiograms for identification of patients prone to sustained ventricular tachycardia, 711
- Induction and termination of triggered activity by pacing in isolated canine Purkinje fibers, 149
- A method for quantitating antifibrillatory effects of drugs after coronary reperfusion in dogs: improved outcome with bretylium, 142
- Personnel and equipment required for electrophysiologic testing, 1219A
- Postextrasystolic alterations in refractoriness of the His-Purkinje system and ventricular myocardium in man, 1096
- The QT interval during reflex cardiovascular adaptation, 22
- Recording of diastolic slope with catheters during junctional rhythm in humans, 485
- Reflected reentry in nonhomogeneous ventricular muscle as a mechanism of cardiac arrhythmias, 163
- Role of triple extrastimuli during electrophysiologic study of patients with documented sustained ventricular tachyarrhythmias, 532
- Significance of ventricular arrhythmias initiated by programmed ventricular stimulation: the importance of the type of ventricular arrhythmia induced and the number of premature stimuli required, 87
- The value of catheter mapping in patients in sinus rhythm to localize site of origin of ventricular tachycardia, 1103
- Enalapril**
- Hemodynamic and clinical response to enalapril, a long-acting converting-enzyme inhibitor, in patients with congestive heart failure, 548
- Encainide**
- Clinical efficacy and electrophysiologic effects of encainide in patients with Wolff-Parkinson-White syndrome, 278
- Endocarditis**
- Prosthetic valvular endocarditis, 223
- Epicaardial mapping**
- Electrophysiologic substrate for ventricular tachycardia: correlation of properties in vivo and in vitro, 369
- Epidemiology**
- Family history of heart attack as an independent predictor of death due to cardiovascular disease, 1065
- Influence of persistent obesity in children on cardiovascular risk factors: the Bogalusa Heart Study, 895
- Level, trend, and variability of blood pressure during childhood: the Muscatine study, 242
- Epinephrine**
- Mechanisms by which epinephrine augments cerebral and myocardial perfusion during cardiopulmonary resuscitation in dogs, 822
- Ergonovine testing**
- Myocardial ischemia during ergonovine testing: different susceptibility to coronary vasoconstriction in patients with exertional and variant angina, 690
- Ethmozine**
- Comparative effects of disopyramide and ethmozine in suppressing complex ventricular arrhythmias by use of double-blind, placebo-controlled, longitudinal crossover design, 288
- Exercise**
- Effects of a calcium-entry blocker (diltiazem) on regional myocardial flow and function during exercise in conscious dogs, 801
- The effects of daily exercise on susceptibility to sudden cardiac death, 1182
- Exercise cardiac output is maintained with advancing age in healthy human subjects: cardiac dilatation and increased stroke volume compensate for a diminished heart rate, 203
- Exercise intolerance in patients with chronic heart failure: role of impaired nutritive flow to skeletal muscle, 1079
- Increased left ventricular emptying at maximal exercise after reduction in afterload, 492
- Work capacity and left ventricular function during rehabilitation after myocardial revascularization surgery, 748
- F**
- Fast-Fourier transform analysis**
- Fast-Fourier transform analysis of signal-averaged electrocardiograms for identification of patients prone to sustained ventricular tachycardia, 711
- Fenoldopam**
- Immediate hemodynamic effects of a dopamine-receptor agonist (fenoldopam) in patients with essential hypertension, 1142
- Fibrinogen**
- Hemorrhage and the products of fibrinogen digestion after intracoronary administration of streptokinase, 1146
- Fibrinopeptide A**
- Effect of heparin on plasma fibrinopeptide A in patients with acute myocardial infarction, 684
- Fontan procedure**
- Dynamics of right heart flow in patients after Fontan procedure, 306
- G**
- Graft closure**
- Association between early graft patency and late outcome for patients undergoing coronary artery bypass graft surgery, 569
- H**
- Heart sounds**
- Diastolic properties of the left ventricle in normal adults and in patients with third heart sound, 1070
- Hemodynamics**
- Absence of a cumulative deterioration of regional function during three repeated 5 or 15 minute coronary occlusions, 400
- Dynamics of right heart flow in patients after Fontan procedure, 306
- Exercise cardiac output is maintained with advancing age in healthy human subjects: cardiac dilatation and increased stroke volume compensate for a diminished heart rate, 203
- Hemodynamic measurements do not predict the response to captopril in patients with congestive heart failure, 1135
- Immediate hemodynamic effects of a dopamine-receptor agonist (fenoldopam) in patients with essential hypertension, 1142

- Instantaneous measurement of left and right ventricular stroke volume and pressure-volume relationships with an impedance catheter, 703
- Relationship between central hemodynamics and regional blood flow in normal subjects and in patients with congestive heart failure, 57
- Volume-dependent effects of positive airway pressure on intracavitary left ventricular end-diastolic pressure, 815
- Hemorrhage**
- Hemorrhage and the products of fibrinogen digestion after intracoronary administration of streptokinase, 1146
- Heparin**
- Effect of heparin on plasma fibrinopeptide A in patients with acute myocardial infarction, 684
- Heparin: the contributions of William Henry Howell, 1198
- His-Purkinje system**
- Facilitation of macroreentry within the His-Purkinje system with abrupt changes in cycle length, 26
- Postextrasystolic alterations in refractoriness of the His-Purkinje system and ventricular myocardium in man, 1096
- Howell, WH**
- Heparin: the contributions of William Henry Howell, 1198
- Hydralazine**
- Short-term hemodynamic effects of hydralazine in infants with complete atrioventricular canal defects, 949
- Hypertlipidemia**
- Recommendations for treatment of hyperlipidemia in adults, 1065A
- Hypertension**
- Immediate hemodynamic effects of a dopamine-receptor agonist (fenoldopam) in patients with essential hypertension, 1142
- Influence of persistent obesity in children on cardiovascular risk factors: the Bogalusa Heart Study, 895
- Level, trend, and variability of blood pressure during childhood: the Muscatine study, 242
- Prognostic factors in the treatment of mild hypertension, 668
- Reduction of coronary reserve: a mechanism for angina pectoris in patients with arterial hypertension and normal coronary arteries, 1
- Reversal by naloxone of the antihypertensive action of clonidine: involvement of the sympathetic nervous system, 461
- Sodium susceptibility and potassium effects in young patients with borderline hypertension, 468
- Venous responses to salt loading in hypertensive subjects, 50
- Hypertrophic cardiomyopathy**
- Muscular subaortic stenosis: the quantitative relationship between systolic anterior motion and the pressure gradient, 43

I

- Impedance catheter**
- Instantaneous measurement of left and right ventricular stroke volume and pressure-volume relationships with an impedance catheter, 703
- Implantable defibrillator**
- Measurement of cardioversion/defibrillation thresholds in man by a truncated exponential waveform and an apical patch-superior vena caval electrode, 766
- Indium-111**
- The effects of antithrombotic drugs in patients with left ventricular thrombi: assessment with indium-111 platelet imaging and two-dimensional echocardiography, 561
- Failure of ticlopidine to inhibit deposition of indium 111-labeled platelets on Dacron prosthetic surfaces in humans, 677
- Indomethacin**
- Drug-induced expansion of infarct: morphologic and functional correlations, 611
- Infarct size**
- The effect of two different diltiazem treatments on infarct size in ischemic, reperfused porcine hearts, 1000
- Ischemia**
- Assessment of regional left ventricular relaxation in patients with coronary artery disease: importance of geometric factors and changes in wall thickness, 696
- Anatomic mechanisms in ventricular fibrillation induced by myo-

- cardial ischemia during exercise for dogs with healed myocardial infarction: an experimental preparation for sudden cardiac death, 790
- Comparative effects of verapamil, diltiazem, and nifedipine on hemodynamics and left ventricular function during acute myocardial ischemia in dogs, 382
- Localization of regional myocardial ischemia by recording of monophasic action potential, 593
- Maintenance of aerobic metabolism during global ischemia with perfluorocarbon cardioplegia improves myocardial preservation, 585
- Role of ischemia in contrast-induced renal damage: an experimental study, 783
- Ultrasonic backscatter and collagen in normal ventricular myocardium, 775
- Ischemic heart disease**
- Imaging by nuclear magnetic resonance in patients with chronic ischemic heart disease, 523

J

- Jones, T. Duckett, Memorial Lecture**
- The search for host determinants of susceptibility to rheumatic fever: the missing link, 197

K

- Ketanserin**
- A double-blind, placebo-controlled study of ketanserin in patients with Prinzmetal's angina: evidence against a role for serotonin in the genesis of coronary vasospasm, 889

L

- Left bundle branch block**
- Endocardial activation of left bundle branch block, 914
- Left ventricular function**
- The uses and limitations of end-systolic indexes of left ventricular function, 1058
- Left ventricular hypertrophy**
- Abnormalities in myocardial perfusion during tachycardia in dogs with left ventricular hypertrophy: metabolic evidence for myocardial ischemia, 409
- Lipid-lowering agents**
- Effects of therapy with cholestyramine on progression of coronary arteriosclerosis: results of the NHLBI Type II Coronary Intervention Study, 313
- The influence of changes in lipid values induced by cholestyramine and diet on progression of coronary artery disease: results of NHLBI Type II Coronary Intervention Study, 325
- Lipoprotein disorders**
- Genetics of lipoprotein disorders, 1190

M

- Metabolism**
- Protective effect of early and late treatment with nifedipine during myocardial infarction in the conscious dog, 131
- Milrinone**
- The effects of milrinone on conduction, reflection, and automaticity in canine Purkinje fibers, 1026
- Mitral regurgitation**
- Pulmonary arterial V waves in mitral regurgitation: clinical and experimental observations, 214

Molecular genetics

Genetics of lipoprotein disorders, 1190

Muscular dystrophy

Alterations in regional myocardial metabolism, perfusion, and wall motion in Duchenne muscular dystrophy studied by radionuclide imaging, 33

Myocardial disease

Alterations in regional myocardial metabolism, perfusion, and wall motion in Duchenne muscular dystrophy studied by radionuclide imaging, 33

Mechanisms for atrial arrhythmias associated with cardiomyopathy: a study of feline hearts with primary myocardial disease, 1036

The results of transvenous endomyocardial biopsy can frequently be used to diagnose myocardial diseases in patients with idiopathic heart failure: endomyocardial biopsies in 100 consecutive patients revealed a substantial incidence of myocarditis, 93

Myocardial infarction

Autonomic mechanisms in ventricular fibrillation induced by myocardial ischemia during exercise in dogs with healed myocardial infarction: an experimental preparation for sudden cardiac death, 790

Drug-induced expansion of infarct: morphologic and functional correlations, 611

Effect of heparin on plasma fibrinopeptide A in patients with acute myocardial infarction, 684

Imaging and characterization of acute myocardial infarction in vivo by gated nuclear magnetic resonance, 125

Intracoronary thrombolysis in patients with acute myocardial infarction: comparison of the efficacy of urokinase with streptokinase, 756

Nifedipine therapy for patients with threatened and acute myocardial infarction: a randomized, double-blind, placebo-controlled comparison, 740

^{99m}Tc-Pyrophosphate imaging in patients with acute myocardial infarction: comparison of planar imaging with single-photon tomography with and without blood pool overlay, 1120

The relationships among ventricular arrhythmias, left ventricular dysfunction, and mortality in the 2 years after myocardial infarction, 250

N**Naloxone**

Reversal by naloxone of the antihypertensive action of clonidine: involvement of the sympathetic nervous system, 461

Nifedipine

Comparative effects of verapamil, diltiazem, and nifedipine on hemodynamics and left ventricular function during acute myocardial ischemia in dogs, 382

Contrasting effects of nifedipine and adenosine on regional myocardial flow distribution and metabolism distal to a severe coronary arterial stenosis: observations in sedated, closed-chest, domestic swine, 1048

The dependence of the cardiac effects of nifedipine on the responses of the peripheral vascular system, 963

Increased left ventricular emptying at maximal exercise after reduction in afterload, 492

Nifedipine and conventional therapy for unstable angina pectoris: a randomized, double-blind comparison, 728

Nifedipine therapy for patients with threatened and acute myocardial infarction: a randomized, double-blind, placebo-controlled comparison, 740

Protective effect of early and late treatment with nifedipine during myocardial infarction in the conscious dog, 131

NorepinephrineInterference of calcium entry blockade in vivo with pressor responses to α -adrenergic stimulation: effects of two unrelated blockers on responses to both exogenous and endogenously released norepinephrine, 1171

Sodium susceptibility and potassium effects in young patients with borderline hypertension, 468

Nuclear cardiology

Failure of ticlopidine to inhibit deposition of indium 111-labeled platelets on Dacron prosthetic surfaces in humans, 677

Quantification of platelet retention in aortocoronary femoral vein bypass graft in dogs treated with dipyridamole and aspirin, 350

Nuclear magnetic resonance

Imaging and characterization of acute myocardial infarction in vivo by gated nuclear magnetic resonance, 125

Imaging by nuclear magnetic resonance in patients with chronic ischemic heart disease, 523

O**Obesity**

Influence of persistent obesity in children on cardiovascular risk factors: the Bogalusa Heart Study, 895

Occlusion

Effects of three bradycardiac drugs on regional myocardial blood flow and function in areas distal to a total or partial coronary occlusion in dogs, 391

P**Percutaneous transluminal balloon valvuloplasty**

Percutaneous transluminal balloon valvuloplasty for pulmonary valve stenosis, 554

Pericardial disease

The incidence and natural history of pericardial effusion after cardiac surgery—an echocardiographic study, 506

Perspectives

Assessment of diastolic function: suggested methods and future considerations, 836

Combined aortic and mitral valve replacement: changes in practice and prognosis, 640

Coronary bypass surgery for unstable angina, 842

Dromotropic effects of adenosine and adenosine antagonists, 1195

Genetics of lipoprotein disorders, 1190

The search for host determinants of susceptibility to rheumatic fever: the missing link, 197

The uses and limitations of end-systolic indexes of left ventricular function, 1058

Pharmacology

A comparison of the electrophysiologic effects of intravenous and oral amiodarone in the same patient, 120

A double-blind, placebo-controlled study of ketanserin in patients with Prinzmetal's angina: evidence against a role for serotonin in the genesis of coronary vasospasm, 889

Drug-induced expansion of infarct: morphologic and functional correlations, 611

Prognostic factors in the treatment of mild hypertension, 668

Quantitative pharmacologic responses of normal and atherosclerotic isolated human epicardial coronary arteries, 430

Physiology

Coronary blood flow during cardiopulmonary resuscitation in swine, 174

Potential adverse effects of volume loading on perfusion of vital organs during closed-chest resuscitation, 181

Platelets

Coagulant activities of platelets in coronary artery disease, 15

The effects of antithrombotic drugs in patients with left ventricular thrombi: assessment with indium-111 platelet imaging and two-dimensional echocardiography, 561

Platelet reactivity in vivo in dogs with arterial prostheses seeded with endothelial cells, 632

Quantification of platelet retention in aortocoronary femoral vein bypass graft in dogs treated with dipyridamole and aspirin, 350

Positive airway pressure

Volume-dependent effects of positive airway pressure on intracavitary left ventricular end-diastolic pressure, 815

Positron emission tomography

Alterations in regional myocardial metabolism, perfusion, and wall motion in Duchenne muscular dystrophy studied by radionuclide imaging, 33

Preexcitation

Recordings of basal ventricular preexcitation from electrode catheters in patients with accessory atrioventricular connections, 233

Preludes and Progress

Heparin: the contributions of William Henry Howell, 1198
Sydney Ringer, calcium, and cardiac function, 849

Prenalterol

β -Adrenergic stimulation of the failing ventricle: a double-blind, randomized trial of sustained oral therapy with prenalterol, 955
Long-term hemodynamic effect of prenalterol in patients with severe congestive heart failure, 298

Prenatal development

Quantitative assessment of growth and function of the cardiac chambers in the normal human fetus: a prospective longitudinal echocardiographic study, 645

Programmed stimulation

Significance of ventricular arrhythmias initiated by programmed ventricular stimulation: the importance of the type of ventricular arrhythmia induced and the number of premature stimuli required, 87

Propranolol

Effect of propranolol in postinfarction patients with mechanical or electrical complications, 761
The effects of shock energy, propranolol, and verapamil on cardiac damage caused by transthoracic countershock, 357

Prosthetic valves

A guide to the radiographic identification of prosthetic heart valves: an addendum, 102
Prosthetic valve endocarditis, 223

Pulmonary vasculature

Vascular structure in lung tissue obtained at biopsy correlated with pulmonary hemodynamic findings after repair of congenital heart defects, 655

Purkinje fibers

The effects of milrinone on conduction, reflection, and automaticity in canine Purkinje fibers, 1026
Induction and termination of triggered activity by pacing in isolated canine Purkinje fibers, 149
The inotropic effects of strophanthidin in Purkinje fibers and the sodium pump, 618

Q

QT interval

The QT interval during reflex cardiovascular adaptation, 22

R

Radiology

A guide to the radiographic identification of prosthetic heart valves: an addendum, 102
Role of ischemia in contrast-induced renal damage: an experimental study, 783

Radionuclide ventriculography

Asynchronous left ventricular diastolic filling in patients with isolated disease of the left anterior descending coronary artery: assessment with radionuclide ventriculography, 933
Bayesian analysis of data from radionuclide angiocardiograms for diagnosis of coronary artery disease, 65

Recombinant DNA

Coronary thrombolysis with intravenously administered human tissue-type plasminogen activator produced by recombinant DNA technology, 605

Reentry

Electrophysiologic substrate for ventricular tachycardia: correlation of properties in vivo and in vitro, 369

Reflected reentry in nonhomogeneous ventricular muscle as a mechanism of cardiac arrhythmias, 163

Refractoriness

Postextrasystolic alterations in refractoriness of the His-Purkinje system and ventricular myocardium in man, 1096

Renal ischemia

Role of ischemia in contrast-induced renal damage: an experimental study, 783

Reperfusion

The effect of two different diltiazem treatments on infarct size in ischemic, reperfused porcine hearts, 1000
Return of left ventricular function after reperfusion in patients with myocardial infarction: importance of subtotal stenoses or intact collaterals, 338
The use of preintervention and postintervention thallium imaging for assessing the early and late effects of experimental coronary arterial reperfusion in dogs, 1153

Respiratory variation

Effects of spontaneous respiration on left ventricular function assessed by echocardiography, 874

Rheumatic fever

Jones criteria (revised) for guidance in the diagnosis of rheumatic fever, 204A
The search for host determinants of susceptibility to rheumatic fever: the missing link, 197

Right ventricular volume

Echocardiographic measurement of right ventricular volume, 497

Ringer, S.

Sydney Ringer, calcium, and cardiac function, 849

S

Salt loading

Venous responses to salt loading in hypertensive subjects, 50

Serotonin

A double-blind, placebo-controlled study of ketanserin in patients with Prinzmetal's angina: evidence against a role for serotonin in the genesis of coronary vasospasm, 889

Single-photon tomography

^{99m}Tc -Pyrophosphate imaging in patients with acute myocardial infarction: comparison of planar imaging with single-photon tomography with and without blood pool overlay, 1120

Sodium

Sodium susceptibility and potassium effects in young patients with borderline hypertension, 468

Sodium pump

The inotropic effects of strophanthidin in Purkinje fibers and the sodium pump, 618

Sotalol

Electrophysiologic testing in assessment of therapy with sotalol for sustained ventricular tachycardia, 577

Stenosis

Contrasting effects of nifedipine and adenosine on regional myocardial flow distribution and metabolism distal to a severe coronary arterial stenosis: observations in sedated, closed-chest, domestic swine, 1048

Effects of the selective thromboxane synthetase inhibitor dazoxiben on variations in cyclic blood flow in stenosed canine coronary arteries, 1161

Validation of a Doppler echocardiographic method for calculating severity of discrete stenotic obstructions in a canine preparation with a pulmonary arterial band, 1177

The value of lesion cross-sectional area determined by quantitative coronary angiography in assessing the physiologic significance of proximal left anterior descending coronary arterial stenoses, 1111

Streptokinase

Hemorrhage and the products of fibrinogen digestion after intracoronary administration of streptokinase, 1146

Improvement of regional myocardial metabolism after coronary thrombolysis induced with tissue-type plasminogen activator or streptokinase, 983

- Intracoronary thrombolysis in patients with acute myocardial infarction: comparison of the efficacy of urokinase with streptokinase, 756
- Rethrombosis after reperfusion with streptokinase: importance of geometry of residual lesions, 991
- Strophanthidin**
- The inotropic effects of strophanthidin in Purkinje fibers and the sodium pump, 618
- Sudden death**
- Autonomic mechanisms in ventricular fibrillation induced by myocardial ischemia during exercise in dogs with healed myocardial infarction: an experimental preparation for sudden cardiac death, 790
- A comparison of the electrophysiologic effects of intravenous and oral amiodarone in the same patient, 120
- Effect of propranolol in postinfarction patients with mechanical or electrical complications, 761
- The effects of daily exercise on susceptibility to sudden cardiac death, 1182
- Improved neurologic recovery and survival after early defibrillation, 943
- Surgery**
- Assessment of left ventricular contractile state after anatomic correction of transposition of the great arteries, 106
- Dynamics of right heart flow in patients after Fontan procedure, 306
- The incidence and natural history of pericardial effusion after cardiac surgery—an echocardiographic study, 506
- The nonpharmacologic management of the permanent form of junctional reciprocating tachycardia, 269
- Work capacity and left ventricular function during rehabilitation after myocardial revascularization surgery, 748
- Sympathetic nervous system**
- Reversal by naloxone of the antihypertensive action of clonidine: involvement of the sympathetic nervous system, 461
- Systolic anterior motion**
- Muscular subaortic stenosis: the quantitative relationship between systolic anterior motion and the pressure gradient, 43

T

Tachycardia

- Abnormalities in myocardial perfusion during tachycardia in dogs with left ventricular hypertrophy: metabolic evidence for myocardial ischemia, 409
- Electrophysiologic testing in assessment of therapy with sotalol for sustained ventricular tachycardia, 577
- Fast-Fourier transform analysis of signal-averaged electrocardiograms for identification of patients prone to sustained ventricular tachycardia, 711
- The nonpharmacologic management of the permanent form of junctional reciprocating tachycardia, 269
- Role of triple extrastimuli during electrophysiologic study of patients with documented sustained ventricular tachyarrhythmias, 532
- The value of catheter mapping in patients in sinus rhythm to localize site of origin of ventricular tachycardia, 1103

Thallium imaging

- The use of preintervention and postintervention thallium imaging for assessing the early and late effects of experimental coronary arterial reperfusion in dogs, 1153

Thrombi

- The effects of antithrombotic drugs in patients with left ventricular thrombi: assessment with indium-111 platelet imaging and two-dimensional echocardiography, 561

Thromboembolic disease

- Failure of ticlopidine to inhibit deposition of indium 111-labeled platelets on Dacron prosthetic surfaces in humans, 677
- Platelet reactivity in vivo in dogs with arterial prostheses seeded with endothelial cells, 632
- Quantification of platelet retention in aortocoronary femoral vein bypass graft in dogs treated with dipyridamole and aspirin, 350

Thrombolysis

- Coronary thrombolysis with intravenously administered human tis-

- sue-type plasminogen activator produced by recombinant DNA technology, 605
- Hemorrhage and the products of fibrinogen digestion after intracoronary administration of streptokinase, 1146
- Improvement of regional myocardial metabolism after coronary thrombolysis induced with tissue-type plasminogen activator or streptokinase, 983
- Intracoronary thrombolysis in patients with acute myocardial infarction: comparison of the efficacy of urokinase with streptokinase, 756
- Rethrombosis after reperfusion with streptokinase: importance of geometry of residual lesions, 991
- Ticlopidine**
- Failure of ticlopidine to inhibit deposition of indium 111-labeled platelets on Dacron prosthetic surfaces in humans, 677
- Tissue characterization**
- Ultrasonic backscatter and collagen in normal ventricular myocardium, 775
- Tissue-type plasminogen activator**
- Coronary thrombolysis with intravenously administered human tissue-type plasminogen activator produced by recombinant DNA technology, 605
- Improvement of regional myocardial metabolism after coronary thrombolysis induced with tissue-type plasminogen activator or streptokinase, 983
- Transposition**
- Assessment of left ventricular contractile state after anatomic correction of transposition of the great arteries, 106
- Triggered activity**
- Effects of pacing on triggered activity induced by early afterdepolarizations, 1013
- Induction and termination of triggered activity by pacing in isolated canine Purkinje fibers, 149

U

Urokinase

- Intracoronary thrombolysis in patients with acute myocardial infarction: comparison of the efficacy of urokinase with streptokinase, 756

V

Valve replacement

- Combined aortic and mitral valve replacement: changes in practice and prognosis, 640
- Diastolic stiffness and myocardial structure in aortic valve disease before and after valve replacement, 855

Valvular heart disease

- Assessment of left ventricular mechanics in patients with asymptomatic aortic regurgitation: a two-dimensional echocardiographic study, 259
- Diastolic stiffness and myocardial structure in aortic valve disease before and after valve replacement, 855
- A guide to the radiographic identification of prosthetic heart valves: an addendum, 102
- Percutaneous transluminal balloon valvuloplasty for pulmonary valve stenosis, 554
- Pulmonary arterial V waves in mitral regurgitation: clinical and experimental observations, 214

Vasodilators

- Short-term hemodynamic effects of hydralazine in infants with complete atrioventricular canal defects, 949

Vasospasm

- A double-blind, placebo-controlled study of ketanserin in patients with Prinzmetal's angina: evidence against a role for serotonin in the genesis of coronary vasospasm, 889
- Myocardial ischemia during ergonovine testing: different susceptibil-

- ity to coronary vasoconstriction in patients with exertional and variant angina, 690
- Ventricular fibrillation**
 - Improved neurologic recovery and survival after early defibrillation, 943
 - A method for quantitating antifibrillatory effects of drugs after coronary reperfusion in dogs: improved outcome with bretylium, 142
- Ventricular function**
 - Absence of a cumulative deterioration of regional function during three repeated 5 or 15 minute coronary occlusions, 400
 - Assessment of left ventricular mechanics in patients with asymptomatic aortic regurgitation: a two-dimensional echocardiographic study, 259
 - Assessment of regional left ventricular relaxation in patients with coronary artery disease: importance of geometric factors and changes in wall thickness, 696
 - Comparative effects of verapamil, diltiazem, and nifedipine on hemodynamics and left ventricular function during acute myocardial ischemia in dogs, 382
 - Drug-induced expansion of infarct: morphologic and functional correlations, 611
 - Instantaneous measurement of left and right ventricular stroke volume and pressure-volume relationships with an impedance catheter, 703
 - Volume-dependent effects of positive airway pressure on intracavitary left ventricular end-diastolic pressure, 815

Ventricular performance

- The dependence of the cardiac effects of nifedipine on the responses of the peripheral vascular system, 963
- Diastolic properties of the left ventricle in normal adults and in patients with third heart sound, 1070
- Diastolic stiffness and myocardial structure in aortic valve disease before and after valve replacement, 855
- Effects of spontaneous respiration on left ventricular function assessed by echocardiography, 874
- Mechanism of decreased left ventricular stroke volume during inspiration in man, 866

Ventricular relaxation

- Triple control of relaxation: implications in cardiac disease, 190

Verapamil

- Comparative effects of verapamil, diltiazem, and nifedipine on hemodynamics and left ventricular function during acute myocardial ischemia in dogs, 382
- The effects of shock energy, propranolol, and verapamil on cardiac damage caused by transthoracic countershock, 357

W

Wolff-Parkinson-White syndrome

- Clinical efficacy and electrophysiologic effects of encainide in patients with Wolff-Parkinson-White syndrome, 278

